Author Index

Volume 9

A

AKIN, L. S., Method of Selecting an Optimum Lubricant Testing System, 249

ALBERTSON, C. E., Trifluoropropyl Halophenyl Substituted Silicone Copolymers—A New Class of Wide Temperature Range Lubricants (D), 45

ALLERY, M., The Effect of Powders in Petrolatum on the Adhesion between Fretted Steel Surfaces, 179

ALSANDOR, E., Analytical Aspects of Gear Lubrication on the Disengaging Side, 202

APPELDOORN, J. K., Friction and Temperature in Rolling Sliding Contacts (D), 193

APPELDOORN, J. K., The Effect of Three Mineral Base Oils on Roller Bearing Fatigue Life (D), 228

ARMSTRONG, C. S., Fluids and Elastomers for Low-Temperature Heat Transfer and Hydraulic Systems, 59

ASSEFF, P. A., Study of Corrosivity and Correlation between Chemical Reactivity and Load-Carrying Capacity of Oils Containing Extreme Pressure Agents (D), 86

B

BABECKI, A. J., Lubricant Life Tests on Ball Bearings for Space Applications, 348

BEERBOWER, A., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications (D), 11

BHATIA, K. G., Effect of Wear on Pivot Thrust Bearings, 257

BLAKE, EDWARD S., Fire-Resistant Hydraulic Fluids for Aerospace Vehicles, 47

BREWE, D. E., Research and Development of Materials for Use as Lubricants in a Liquid Hydrogen Environment (D), 220

BROWN, E. D., JR., Methyl Alkyl Silicones. A New Class of Lubricants, 31

BROWN, P. F., JR., An Analytical Method to Predict Skidding in High Speed Roller Bearings (D), 240

BUCKLEY, D. H., Lubrication of Ball Bearings with Volatile Organic Compounds (D), 247

BUCKLEY, D. H., Friction and Wear of Hexagonal Metals and Alloys as Related to Crystal Structure and Lattice Parameters in Vacuum, 121

BUNTING, K. R., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications (D), 11

C

CAMERON, A., Friction and Temperature in Rolling Sliding Contacts, 186

CAMPBELL, M. E., Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic (D), 346

CASTELLI, V., Determination of Performance Characteristics of Hydrostatic Bearing Systems that Support a Rigid Body, 272

CHENG, H. S., Surface Temperature with Temperature-Dependent Thermal Properties (D), 201

CONNORS, H. J., Fundamentals of Wick Lubrication for Small Sleeve Bearings, 299

D

DEBRUNNER, R. E., Fire-Resistant Hydraulic Fluids for Aerospace Vehicles, 47

DEMOREST, K. E., Effect of Various Lubricants and Base Materials on Friction at Ultrahigh Loads, 160

DEVINE, M. J., Lubrication of Ball Bearings with Volatile Organic Compounds, 242

DEVINE, M. J., Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic (D), 346

DEVINE, M. J., Lubricant Life Tests on Ball Bearings for Space Applications (D), 360

DEWART, W. G., SNAP 8 Reactor Bearing Development, 325

DULING, I. N., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications, 1

DUWELL, E. J., The Effect of Powders in Petrolatum on the Adhesion Between Fretted Steel Surfaces (D), 185

E

EUSEPI, M., Design Criteria for Externally Pressurized Gas Bearings for Operation at High Temperatures and High Speeds, 402

F

FRESCO, G. P., Development of a Precision Capillary-Type Pressure Viscometer, 113

G

GADDIS, D. H., Effect of Various Lubricants and Base Materials on Friction at Ultrahigh Loads (D), 169

GAINER, G. C., Trifluoropropyl Halophenyl Substituted Silicone Copolymers—A New Class of Wide Range Lubricants (D), 44

GALLOPOULOS, N. E., Study of Corrosivity and Correlation between Chemical Reactivity and Load-Carrying Capacity of Oils Containing Extreme Pressure Agents (D), 86

GILMORE, L. P., Lubrication of Ball Bearings with Volatile Organic Compounds, 242

GISSER, HENRY, Fire-Resistant Hydraulic Fluids for Aerospace Vehicles (D), 56

GISSER, H., Preferential Adsorption of Compounds with Long Methylene Chains on Cast Iron, Graphite, Boron Nitride, and Molybdenum Disulfide (D), 75

GLAESER, W. A., Sliding Behavior of Some Layer Lattice Compounds in Ultrahigh Vacuum (D), 147

GODFREY, D., The Effect of Powders in Petrolatum on the Adhesion between Fretted Steel Surfaces (D), 185

GRIFFITH, J. Q., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications, 1

GROSZEK, A. J., Preferential Adsorption of Compounds with Long Methylene Chains on Cast Iron, Graphite, Boron Nitride, and Molybdenum Disulfide, 67

GUMPRECHT, W. H., PR-143—A New Class of High-Temperature Fluids, 24

H

HALTNER, A. J., Sliding Behavior of Some Layer Lattice Compounds in Ultrahigh Vacuum, 136

HALTNER, A. J., The Effect of Time, Temperature, and Environment on the Sliding Behavior of Polytetrafluoroethylene (D), 157

Author Index

Volume 9

A

AKIN, L. S., Method of Selecting an Optimum Lubricant Testing System, 249

ALBERTSON, C. E., Trifluoropropyl Halophenyl Substituted Silicone Copolymers—A New Class of Wide Temperature Range Lubricants (D), 45

ALLERY, M., The Effect of Powders in Petrolatum on the Adhesion between Fretted Steel Surfaces, 179

ALSANDOR, E., Analytical Aspects of Gear Lubrication on the Disengaging Side, 202

APPELDOORN, J. K., Friction and Temperature in Rolling Sliding Contacts (D), 193

APPELDOORN, J. K., The Effect of Three Mineral Base Oils on Roller Bearing Fatigue Life (D), 228

ARMSTRONG, C. S., Fluids and Elastomers for Low-Temperature Heat Transfer and Hydraulic Systems, 59

ASSEFF, P. A., Study of Corrosivity and Correlation between Chemical Reactivity and Load-Carrying Capacity of Oils Containing Extreme Pressure Agents (D), 86

B

BABECKI, A. J., Lubricant Life Tests on Ball Bearings for Space Applications, 348

BEERBOWER, A., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications (D), 11

BHATIA, K. G., Effect of Wear on Pivot Thrust Bearings, 257

BLAKE, EDWARD S., Fire-Resistant Hydraulic Fluids for Aerospace Vehicles, 47

BREWE, D. E., Research and Development of Materials for Use as Lubricants in a Liquid Hydrogen Environment (D), 220

BROWN, E. D., JR., Methyl Alkyl Silicones. A New Class of Lubricants, 31

BROWN, P. F., JR., An Analytical Method to Predict Skidding in High Speed Roller Bearings (D), 240

BUCKLEY, D. H., Lubrication of Ball Bearings with Volatile Organic Compounds (D), 247

BUCKLEY, D. H., Friction and Wear of Hexagonal Metals and Alloys as Related to Crystal Structure and Lattice Parameters in Vacuum, 121

BUNTING, K. R., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications (D), 11

C

CAMERON, A., Friction and Temperature in Rolling Sliding Contacts, 186

CAMPBELL, M. E., Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic (D), 346

CASTELLI, V., Determination of Performance Characteristics of Hydrostatic Bearing Systems that Support a Rigid Body, 272

CHENG, H. S., Surface Temperature with Temperature-Dependent Thermal Properties (D), 201

CONNORS, H. J., Fundamentals of Wick Lubrication for Small Sleeve Bearings, 299

D

DEBRUNNER, R. E., Fire-Resistant Hydraulic Fluids for Aerospace Vehicles, 47

DEMOREST, K. E., Effect of Various Lubricants and Base Materials on Friction at Ultrahigh Loads, 160

DEVINE, M. J., Lubrication of Ball Bearings with Volatile Organic Compounds, 242

DEVINE, M. J., Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic (D), 346

DEVINE, M. J., Lubricant Life Tests on Ball Bearings for Space Applications (D), 360

DEWART, W. G., SNAP 8 Reactor Bearing Development, 325

DULING, I. N., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications, 1

DUWELL, E. J., The Effect of Powders in Petrolatum on the Adhesion Between Fretted Steel Surfaces (D), 185

E

EUSEPI, M., Design Criteria for Externally Pressurized Gas Bearings for Operation at High Temperatures and High Speeds, 402

F

FRESCO, G. P., Development of a Precision Capillary-Type Pressure Viscometer, 113

G

GADDIS, D. H., Effect of Various Lubricants and Base Materials on Friction at Ultrahigh Loads (D), 169

GAINER, G. C., Trifluoropropyl Halophenyl Substituted Silicone Copolymers—A New Class of Wide Range Lubricants (D), 44

GALLOPOULOS, N. E., Study of Corrosivity and Correlation between Chemical Reactivity and Load-Carrying Capacity of Oils Containing Extreme Pressure Agents (D), 86

GILMORE, L. P., Lubrication of Ball Bearings with Volatile Organic Compounds, 242

GISSER, HENRY, Fire-Resistant Hydraulic Fluids for Aerospace Vehicles (D), 56

GISSER, H., Preferential Adsorption of Compounds with Long Methylene Chains on Cast Iron, Graphite, Boron Nitride, and Molybdenum Disulfide (D), 75

GLAESER, W. A., Sliding Behavior of Some Layer Lattice Compounds in Ultrahigh Vacuum (D), 147

GODFREY, D., The Effect of Powders in Petrolatum on the Adhesion between Fretted Steel Surfaces (D), 185

GRIFFITH, J. Q., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications, 1

GROSZEK, A. J., Preferential Adsorption of Compounds with Long Methylene Chains on Cast Iron, Graphite, Boron Nitride, and Molybdenum Disulfide, 67

GUMPRECHT, W. H., PR-143—A New Class of High-Temperature Fluids, 24

H

HALTNER, A. J., Sliding Behavior of Some Layer Lattice Compounds in Ultrahigh Vacuum, 136

HALTNER, A. J., The Effect of Time, Temperature, and Environment on the Sliding Behavior of Polytetrafluoroethylene (D), 157

HARRIS, T. A., An Analytical Method to Predict Skidding in High Speed Roller Bearings, 229
HARSACKY, F. J., PR-143—A New Class of High-Temperature Fluids (D), 30
HELLER, S., Determination of Performance Characteristics of Hydrostatic Bearing Systems that Support a Rigid Body, 272
HUDELSON, J. C., Dynamic Instability of Undamped Bellows Face Seals in Cryogenic Liquid, 381

J

JOHNSON, R. L., Sliding Behavior of Some Layer Lattice Compounds in Ultrahigh Vacuum (D), 146
JOHNSON, R. L., Friction and Wear of Hexagonal Metals and Alloys as Related to Crystal Structure and Lattice Parameters in Vacuum, 121
JOHNSON, R. L., SNAP 8 Reactor Bearing Development (D), 334
JOHNSON, R. H., Development of a Precision Capillary-Type Pressure Viscometer, 113

K

KAUFMAN, H. N., Effect of Wear on Pivot Thrust Bearings (D), 263
KAUZLARICH, J. J., Effect of Wear on Pivot Thrust Bearings, 257
KELLOGG, L. G., SNAP 8 Reactor Bearing Development, 325
KIANG, R. L., Elastic Orifices for Pressurized Gas Bearings, 311
KINSMAN, F. W., Effect of Wear on Pivot Thrust Bearings (D), 263
KLAUS, E. E., Development of a Precision Capillary-Type Pressure Viscometer, 113
KOVED, I., The Effect of Three Mineral Base Oils on Roller Bearing Fatigue Life, 222
KRUEGER, R. H., Trifluoropropyl Halophenyl Substituted Silicone Copolymers—A New Class of Wide Temperature Range Lubricants (D), 45
KU, P. M., Experimental Study of Spline Wear and Lubrication Effects, 171

L

LAMSON, E. R., Lubrication of Ball Bearings with Volatile Organic Compounds, 242
LAVIK, M. T., Sliding Behavior of Some Layer Lattice Compounds in Ultrahigh Vacuum (D), 147
LAVIK, M. T., Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic (D), 346
LENSKI, J. W., JR., An Analytical Method to Predict Skidding in High Speed Roller Bearings (D), 239
LEVEILLE, A. R., Prediction of Ball-Spin and Interfacial Slip Friction from Room to 2500 F, 361
LEWIS, P., Lubricant Life Tests on Ball Bearings for Space Applications, 348
LEWIS, P., Design Criteria for Externally Pressurized Gas Bearings for Operation at High Temperatures and High Speeds, 402
LING, F. F., Surface Temperature with Temperature-Dependent Thermal Properties, 195
LOESER, E. H., Some Environmental Factors Affecting Surface Coating Formation with Lubricating Oil Additives (D), 100
LUDWIG, H. R., Prediction of Ball-Spin and Interfacial Slip Friction from Room to 2500 F, 361

M

MALOTT, R. C., An Analytical Method to Predict Skidding in High Speed Roller Bearings (D), 238
MCCAIN, J. W., Analytical Aspects of Gear Lubrication on the Disengaging Side, 202
MCHUGH, K. L., Properties of a New Class of Polyaromatics for Use as High-Temperature Lubricants and Functional Fluids, 13
MOORE, C. C., An Analytical Method to Predict Skidding in High Speed Roller Bearings (D), 238
MORI, H., Analysis of Externally Pressurized Rectangular Pads with Multiple Supply Holes, 391
MORRIS, J. L., Design Criteria for Externally Pressurized Gas Bearings for Operation at High Temperatures and High Speeds, 402
MOYER, C. A., Monte Carlo Evaluation and Development of Weibull Analysis Techniques (D), 379
MURPHY, C. M., Fire-Resistant Hydraulic Fluids for Aerospace Vehicles (D), 56
MURPHY, C. M., Properties of a New Class of Polyaromatics for Use as High-Temperature Lubricants and Functional Fluids (D), 23
MURRAY, S. F., Lubrication of Ball Bearings with Volatile Organic Compounds (D), 247
MURRAY, S. F., Lubricant Life Tests on Ball Bearings for Space Applications, 348

N

NEWGARD, P. M., Elastic Orifices for Pressurized Gas Bearings, 311

O

O'DONOGHUE, J. P., Friction and Temperature in Rolling Sliding Contacts, 186
OHNISHI, K., Analysis of Externally Pressurized Rectangular Pads with Multiple Supply Holes, 391

P

PETERSON, M. B., Friction and Wear of Hexagonal Metals and Alloys as Related to Crystal Structure and Lattice Parameters in Vacuum (D), 133
PINO, M. A., Fluids and Elastomers for Low-Temperature Heat Transfer and Hydraulic Systems (D), 66

R

RADZIMOVSKY, E. I., Analytical Aspects of Gear Lubrication on the Disengaging Side, 211
RAIMONDI, A. A., An Adiabatic Solution for the Finite Slider Bearing (L/B = 1), 283
REICHENBACH, G. S., The Effect of Time, Temperature, and Environment on the Sliding Behavior of Polytetrafluoroethylene (D), 158
REMPE, W. H., JR., Research and Development of Materials for Use as Lubricants in a Liquid Hydrogen Environment, 213
RICE, J. S., Surface Temperature with Temperature-Dependent Thermal Properties, 195
RICHARDSON, G. A., Fire-Resistant Hydraulic Fluids for Aerospace Vehicles, 47
RIES, H. E., JR., Preferential Adsorption of Compounds with Long Methylene Chains on Cast Iron, Graphite, Boron Nitride, and Molybdenum Disulfide (D), 74
ROTHE, H. C., Investigation of Inherent Gas-Bearing-Torques Acting on a Spinning Sphere Gyro, 318
ROUNDS, F. G., Some Environmental Factors Affecting Surface Coating Formation with Lubricating Oil Additives, 88
ROWE, C. N., Some Aspects of the Heat of Adsorption in the Function of a Boundary Lubricant, 101
RYLANDER, H. G., A Theory of

Liquid-Solid Hydrodynamic Film Lubrication, 264

S

SAKURAI, T., Study of Corrosivity and Correlation between Chemical Reactivity and Load-Carrying Capacity of Oils Containing Extreme Pressure Agents, 77

SATO, K., Study of Corrosivity and Correlation between Chemical Reactivity and Load-Carrying Capacity of Oils Containing Extreme Pressure Agents, 77

SCHIEFER, H. M., Trifluoropropyl Halophenyl Substituted Silicone Copolymers—A New Class of Wide Temperature Range Lubricants, 36

SCHLITZER, L., Monte Carlo Evaluation and Development of Weibull Analysis Techniques, 372

SCIBBE, H. W., Research & Development of Materials for Use as Lubricants in a Liquid Hydrogen Environment (D), 220

SHAPIRO, W., Determination of Performance Characteristics of Hydrostatic Bearing Systems that Support a Rigid Body, 272

SLINEY, H. E., Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic, 336

STALLINGS, L., Lubrication of Ball Bearings with Volatile Organic Compounds, 242

STARK, L. R., Properties of a New Class of Polyaromatics for Use as High-Temperature Lubricants and Functional Fluids, 13

STEARNS, R. S., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications, 1

STEIJN, R. P., Friction and Wear of Hexagonal Metals and Alloys as Related to Crystal Structure and Lattice Parameters in Vacuum (D), 134

STEIJN, R. P., The Effect of Time, Temperature, and Environment on the Sliding Behavior of Polytetrafluoroethylene, 149

STREITMAN, H. W., Effect of Wear on Pivot Thrust Bearings, 257

T

TABOR, D., Some Aspects of the Heat of Adsorption in the Function of a Boundary Lubricant (D), 110

TAO, F. F., Friction and Temperature in Rolling Sliding Contacts (D), 193

TRAISE, T. P., A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications (D), 11

V

VALITERRA, M. L., Experimental Study of Spline Wear and Lubrication Effects, 171

VAN WYK, J., Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic (D), 345

W

WATERHOUSE, R. B., Experimental Study of Spline Wear and Lubrication Effects (D), 178

WATERHOUSE, R. B., The Effect of Powders in Petrolatum on the Adhesion between Fretted Steel Surfaces, 179

WEATHERFORD, W. D., JR., Experimental Study of Spline Wear and Lubrication Effects, 171

WEBSTER, JAMES A., Fire-Resistant Hydraulic Fluids for Aerospace Vehicles, 47

WHITAKER, A. F., Effect of Various Lubricants and Base Materials on Friction at Ultrahigh Loads, 160

WILMAN, H., Friction and Wear of Hexagonal Metals and Alloys as Related to Crystal Structure and Lattice Parameters in Vacuum (D), 132

WILSON, D. S., The Effect of Geometry Variations on Hydrodynamic Bearing Performance, 411

Y

YABE, H., Analysis of Externally Pressurized Rectangular Pads with Multiple Supply Holes, 391

Z

ZUPKUS, C. J., Prediction of Ball-Spin and Interfacial Slip Friction from Room to 2500 F, 361

A Publication of the American Society of Lubrication Engineers

ASLE TRANSACTIONS

Volume 9

1966

ACADEMIC PRESS
New York and London

COPYRIGHT ©, 1966, BY AMERICAN SOCIETY OF LUBRICATION ENGINEERS
CHICAGO, ILLINOIS

ALL RIGHTS RESERVED

MADE IN THE UNITED STATES OF AMERICA

CONTENTS OF VOLUME 9

NUMBER 1, JANUARY 1966

DULING, I. N., GRIFFITH, J. Q., and STEARNS, R. S. A New Synthetic Hydrocarbon Lubricant for Extreme-Temperature Applications . . . 1

MCHUGH, KENNETH L., and STARK, LOUIS R. Properties of a New Class of Polyaromatics for Use as High-Temperature Lubricants and Functional Fluids 13

GUMPRECHT, WILLIAM H. PR-143—A New Class of High-Temperature Fluids 24

BROWN, E. D., JR. Methyl Alkyl Silicones. A New Class of Lubricants . 31

SCHIEFER, HARRY M. Trifluoropropyl Halophenyl Substituted Silicone Copolymers—A New Class of Wide Temperature Range Lubricants . . 36

BLAKE, EDWARDS S., RICHARDSON, GEORGE A., WEBSTER, JAMES A., and DEBRUNNER, R. E. Fire-Resistant Hydraulic Fluids for Aerospace Vehicles 47

ARMSTRONG, C. S. Fluids and Elastomers for Low-Temperature Heat Transfer and Hydraulic Systems 59

GROSZEK, A. J. Preferential Adsorption of Compounds with Long Methylene Chains on Cast Iron, Graphite, Boron Nitride, and Molybdenum Disulfide 67

SAKURAI, TOSHIO, and SATO, KACHIO. Study of Corrosivity and Correlation between Chemical Reactivity and Load-Carrying Capacity of Oils Containing Extreme Pressure Agents 77

ROUNDS, FRED G. Some Environmental Factors Affecting Surface Coating Formation with Lubricating Oil Additives 88

ROWE, C. N. Some Aspects of the Heat of Adsorption in the Function of a Boundary Lubricant 101

NUMBER 2, APRIL 1966

KLAUS, E. E., JOHNSON, R. H., AND FRESCO, G. P. Development of a precision Capillary-Type Pressure Viscometer 113

BUCKLEY, DONALD H., and JOHNSON, ROBERT L. Friction and Wear of Hexagonal Metals and Alloys as Related to Crystal Structure and Lattice Parameters in Vacuum 121

HALTNER, A. J. Sliding Behavior of Some Layer Lattice Compounds in Ultrahigh Vacuum 136

STEIJN, R. P. The Effect of Time, Temperature, and Environment on the Sliding Behavior of Polytetrafluoroethylene 149

DEMOREST, K. E., and WHITAKER, A. F. Effect of Various Lubricants and Base Materials on Friction at Ultrahigh Loads 160

WEATHERFORD, W. D., JR., VALITERRA, M. L., and KU, P. M. Experimental Study of Spline Wear and Lubrication Effects 171

WATERHOUSE, R. B., and ALLERY, M. The Effect of Powders in Petrolatum on the Adhesion between Fretted Steel Surfaces 179

O'DONOGHUE, J. P., and CAMERON, A. Friction and Temperature in Rolling Sliding Contacts 186

LING, F. F., and RICE, J. S. Surface Temperature with Temperature-Dependent Thermal Properties 195

MCCAIN, J. W., and ALSANDOR, E. Analytical Aspects of Gear Lubrication on the Disengaging Side 202

NUMBER 3, JULY 1966

REMPE, W. H., JR. Research and Development of Materials for Use As Lubricants in a Liquid Hydrogen Environment 213

KOVED, IRWIN. The Effect of Three Mineral Base Oils on Roller Bearing Fatigue Life 222

HARRIS, T. A. An Analytical Method to Predict Skidding in High Speed Roller Bearings 229

DEVINE, M. J., LAMSON, E. R., STALLINGS, L., and GILMORE, L. P. Lubrication of Ball Bearings with Volatile Organic Compounds 242

AKIN, LEE S. Method of Selecting an Optimum Lubricant Testing System 249

KAUZLARICH, J. J., BHATIA, K. G., and STREITMAN, H. W. Effect of Wear on Pivot Thrust Bearings 257

RYLANDER, H. GRADY. A Theory of Liquid–Solid Hydrodynamic Film Lubrication 264

SHAPIRO, W., CASTELLI, V., and HELLER, S. Determination of Performance Characteristics of Hydrostatic Bearing Systems that Support a Rigid Body 272

RAIMONDI, A. A. An Adiabatic Solution for the Finite Slider Bearing (L/B = 1) 283

CONNORS, H. J. Fundamentals of Wick Lubrication for Small Sleeve Bearings 299

NEWGARD, P. M., and KIANG, R. L. Elastic Orifices for Pressurized Gas Bearings 311

ROTHE, H. C. Investigation of Inherent Gas-Bearing-Torques Acting on a Spinning Sphere Gyro 318

NUMBER 4, OCTOBER 1966

KELLOGG, L. G., and DEWART, W. G. SNAP 8 Reactor Bearing Development 325

SLINEY, HAROLD E. Self-Lubricating Composites of Porous Nickel and Nickel-Chromium Alloy Impregnated with Barium Fluoride-Calcium Fluoride Eutectic 336

MURRAY, S. F., LEWIS, PAUL, and BABECKI, A. J. Lubricant Life Tests on Ball Bearings for Space Applications 348

LEVEILLE, A. R., ZUPKUS, C. J., and LUDWIG, H. R. Prediction of Ball-Spin and Interfacial Slip Friction from Room to 2500 F 361

SCHLITZER, LLOYD. Monte Carlo Evaluation and Development of Weibull Analysis Techniques 372

HUDELSON, JOHN C. Dynamic Instability of Undamped Bellows Face Seals in Cryogenic Liquid 381

MORI, HARUO, YABE, HIROSHI, and OHNISHI, KUNIHIKO. Analysis of Externally Pressurized Rectangular Pads with Multiple Supply Holes . . 391

LEWIS, P., EUSEPI, M., and MORRIS, J. L. Design Criteria for Externally Pressurized Gas Bearings for Operation at High Temperatures and High Speeds 402

WILSON, DONALD S. The Effect of Geometry Variations on Hydrodynamic Bearing Performance 411

AUTHOR INDEX 420